# Safety Data Sheet

Issue Date: 01.08.2024	Revision Date: 01.08.2024	Version 1
	1. IDENTIFICATION	
Product Identifier Product Name	Kemseal WBE- Part B	
Other means of identification SDS #	KS-002	
Recommended use of the chemical Recommended Use	and restrictions on use Use as a hardener in 2-Pack Epoxy coatings for concrete s roller.	ubstrate. Applied by brush and
Details of the supplier of the safety Supplier Address Stratacote 76B Bremners Road Ashburton New Zealand	<u>data sheet</u>	
Emergency Telephone Number Company Phone Number	Phone: Stratacote - 0800 575 474	
Emergency Telephone (24 hr)	NZ National Poisons Centre - 0800 764 766	

# 2. HAZARDS IDENTIFICATION

Appearance White/grey thixotropic liquid

Physical state Liquid

Odor Mild

# **Classification**

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 2

# <u>Signal Word</u> Danger

## Hazard statements

Causes skin irritation Causes serious eye damage May cause an allergic skin reaction Suspected of causing cancer



#### **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace Wear protective gloves

## Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician IF ON SKIN: Wash with plenty of soap and water Take off contaminated clothing and wash before reuse If skin irritation or rash occurs: Get medical advice/attention

#### **Precautionary Statements - Storage**

Store locked up

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Other hazards

Harmful to aquatic life with long lasting effects

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Limestone	1317-65-3	10-20
Titanium(IV) Oxide	13463-67-7	1-10
Triethylene tetramine	112-24-3	1-10
Acetic acid	64-19-7	1-10

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST AID MEASURES

#### First Aid Measures

General Advice	Provide this SDS to medical personnel for treatment.
Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
Skin Contact	IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.
Inhalation	Remove to fresh air.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. If irritation or discomfort occurs, obtain medical advice.

#### Most important symptoms and effects

Symptoms Causes serious eye damage. Causes skin irritation. May cause an allergic skin reaction.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

# **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Not determined.

Hazardous Combustion Products Carbon monoxide. Phenolic compounds. Water.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions	Use personal protective equipment as required.
----------------------	--

#### Environmental precautions

Environmental precautions	See Section 12 for additional Ecological Information.
---------------------------	---

#### Methods and material for containment and cleaning up

Methods for Containment	Prevent further leakage or spillage if safe to do so.
-------------------------	---

Methods for Clean-Up Keep in suitable, closed containers for disposal.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing and eye/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Store locked up.
Incompatible Materials	None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Limestone	-	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> total dust
1317-65-3		TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 5 mg/m <sup>3</sup> respirable dust
		(vacated) TWA: 15 mg/m <sup>3</sup> total	
		dust	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction	
Titanium(IV) Oxide	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	IDLH: 5000 mg/m <sup>3</sup>
13463-67-7		(vacated) TWA: 10 mg/m <sup>3</sup> total	
		dust	
Acetic acid	STEL: 15 ppm	TWA: 10 ppm	IDLH: 50 ppm
64-19-7	TWA: 10 ppm	TWA: 25 mg/m <sup>3</sup>	TWA: 10 ppm
		(vacated) TWA: 10 ppm	TWA: 25 mg/m <sup>3</sup>
		(vacated) TWA: 25 mg/m <sup>3</sup>	STEL: 15 ppm
			STEL: 37 mg/m <sup>3</sup>

# Appropriate engineering controls

Engineering Controls	Apply technical measures to comply with the occupational exposure limits. Showers. Eyewash stations. Ventilation systems.
Individual protection measures,	such as personal protective equipment
Eye/Face Protection	Safety glasses.
Skin and Body Protection	Wear protective gloves and protective clothing.

**Respiratory Protection** Wear appropriate respirator when ventilation is inadequate.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Appearance Color	Liquid White/grey thixotropic liquid White/grey	Odor Odor Threshold	Mild Not determined
Property pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point Evaporation Rate Flammability (Solid, Gas) Flammability Limits in Air Upper Flammability Limits Lower Flammability Limit Vapor Pressure Vapor Density Relative Density Water Solubility Solubility in other solvents Partition Coefficient	Values   8-9   Not determined   ~ 100 °C / 212 °F   Not determined   Not determined   Liquid- Not Applicable   Not determined   Not determined	<u>Remarks • Method</u>	
Auto-ignition Temperature Decomposition Temperature	Not determined Not determined		

Kinematic Viscosity	Not determined
Dynamic Viscosity	Not determined
Explosive Properties	Not determined
Oxidizing Properties	Not determined

# **10. STABILITY AND REACTIVITY**

#### **Reactivity**

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

#### **Conditions to Avoid**

Keep out of reach of children.

#### **Incompatible Materials**

None known based on information supplied.

#### Hazardous Decomposition Products

Decomposition depends upon temperature, air supply, and presence of other materials. Gases are released during decomposition. Hazardous decomposition products include carbon monoxide, phenolic and water.

# 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

Product Information	
Eye Contact	Causes serious eye damage.
Skin Contact	Causes skin irritation.
Inhalation	Do not inhale.
Ingestion	Do not ingest.

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Aliphatic Polyaminoamide 68410-23-1	>2000 mg/kg (rat)	2000 mg/kg (rat)	-
Titanium(IV) Oxide 13463-67-7	> 10000 mg/kg (Rat)	-	-
Triethylene tetramine 112-24-3	= 2500 mg/kg (Rat)	= 550 mg/kg (Rabbit)	-
Acetic acid 64-19-7	= 3310 mg/kg(Rat)	= 1060 mg/kg (Rabbit)	= 11.4 mg/L (Rat)4 h

## Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Sensitization

May cause an allergic skin reaction.

Carcinogenicity

Titanium dioxide is a possible carcinogen when it appears as a respirable dust.

Chemical Name	ACGIH	IARC	NTP	OSHA
Titanium(IV) Oxide		Group 2B		Х
13463-67-7				

#### Legend

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans OSHA (Occupational Safety and Health Administration of the US Department of Labor)

*OSHA* (Occupational Safety and Health Administration of the US Department *X* - Present

#### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	38,777.00 mg/kg
ATEmix (dermal)	19,712.00 mg/kg
ATEmix (inhalation-dust/mist)	428.00 mg/L

# **12. ECOLOGICAL INFORMATION**

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

## **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Triethylene tetramine 112-24-3	2.5: 72 h Desmodesmus subspicatus mg/L EC50 20: 72 h Pseudokirchneriella subcapitata mg/L EC50 3.7: 96 h Pseudokirchneriella subcapitata mg/L EC50	495: 96 h Pimephales promelas mg/L LC50 570: 96 h Poecilia reticulata mg/L LC50 semi-static	31.1: 48 h Daphnia magna mg/L EC50
Acetic acid 64-19-7		79: 96 h Pimephales promelas mg/L LC50 static 75: 96 h Lepomis macrochirus mg/L LC50 static	47: 24 h Daphnia magna mg/L EC50 65: 48 h Daphnia magna mg/L EC50 Static

#### Persistence/Degradability

Not determined.

#### **Bioaccumulation**

Not determined.

#### <u>Mobility</u>

Not determined

Chemical Name	Partition Coefficient
Triethylene tetramine	-1.4
112-24-3	
Acetic acid	-0.31
64-19-7	

# Other Adverse Effects

Not determined

X - Present

# **13. DISPOSAL CONSIDERATIONS**

### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

Chemical Name	California Hazardous Waste Status
Acetic acid	Toxic
64-19-7	Corrosive
	Ignitable

# **14. TRANSPORT INFORMATION**

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT	Not regulated
IATA	Not regulated
IMDG_	Not regulated

# **15. REGULATORY INFORMATION**

# International Inventories

Chemical Name	TSCA	DSL/NDSL	EINECS/E LINCS	ENCS	IECSC	KECL	PICCS	AICS
Water	Х	Х	Х		Х	Present	Х	Х
Limestone	Х	Х	Х	Present	Х	Present	Х	Х
Liquid polyamide resin	Х	Х	Х	Present	Х	Present	Х	Х
Aliphatic Polyaminoamide	Х	Х		Present	Х	Present	Х	Х
Titanium(IV) Oxide	Х	Х	Х	Present	Х	Present	Х	Х
Triethylene tetramine	Х	Х	Х	Present	Х	Present	Х	Х
Acetic acid	Х	Х	Х	Present	Х	Present	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Acetic acid	5000 lb		RQ 5000 lb final RQ
64-19-7			RQ 2270 kg final RQ

#### SARA 313

Not determined

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Acetic acid	5000 lb			Х

#### US State Regulations

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Titanium(IV) Oxide - 13463-67-7	Carcinogen

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Limestone 1317-65-3	Х	Х	Х
Titanium(IV) Oxide 13463-67-7	Х	X	Х
Triethylene tetramine 112-24-3	Х	X	Х
Acetic acid 64-19-7	Х	X	Х

# **16. OTHER INFORMATION**

<u>NFPA</u> HMIS	Health Hazards Not determined Health Hazards Not determined	Flammability Not determined Flammability Not determined	<b>Instability</b> Not determined <b>Physical hazards</b> Not determined	Special Hazards Not determined Personal Protection Not determined
Issue Date: Revision Date: Revision Note:	01.08.2024 01.08.2024 New format			

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### End of Safety Data Sheet